REMARKS

Reconsideration and allowance are respectfully requested.

Claims 1-10 are pending. The amendments are fully supported by the original disclosure and, thus, no new matter is added by their entry. The scope of claim 5 is not changed because the amendment merely reformats the Markush language in more convention form. Claim 1 is amended by incorporating the limitations of original claim 4.

Remarks regarding 35 U.S.C. § 102:

A claim is anticipated only if each and every limitation as set forth in the claim is found, either expressly or inherently described, in a single prior art reference. *Verdegaal Bros. v. Union Oil Co. of Calif.*, 2 USPQ2d 1051, 1053 (Fed. Cir. 1987). The identical invention must be shown in as complete detail as is claimed. See *Richardson v. Suzuki Motor Co.*, 9 USPQ2d 1913, 1920 (Fed. Cir. 1989).

Claims 1-3, 5, 7 and 8 stand rejected under 35 U.S.C. § 102 as allegedly anticipated by U.S. Patent 4,935,359 (referred to herein as "Yin") and Sugisawa et al. (Biosci. Biotechnol. Biochem., 2005 69:659-662, referred to herein as "Sugisawa"). Applicants traverse.

Claim 1, as amended, is directed to a process for vitamin C production from L-sorbosone by contacting cells belonging to the genus Ketogulonicigenium with a medium containing L-sorbosone and isolating the produced vitamin C from the reaction mixture. The amount of vitamin C which are produced with different Ketogulonicigenium strains are depicted in Table 1 (Specification, page 6).

The claims, as amended, are not anticipated by Yin, inter alia, because Yin (1) uses a different starting material, (2) produces a different product, and (3) uses a different mixture of organisms. First, Yin does not disclose the starting material of the claimed process. The amended claims are directed to the use of L-sorbosone as a starting material. Yin is silent on the use of L-sorbosone as a starting material. Second, Yin does not disclose the use of the claimed organisms. The amended claims are directed to the use of microorganisms belonging to the genus Ketogulonicigenium. Yin describes the usage of a mixed culture of G. oxydans and B. megaterium (i.e., different

strains as in claim 1, even if G. oxydans DSM 4025 has been later reclassified as K. vulgare), wherein G. oxydans DSM 4025 is mentioned as a preferred Gluconobacter strain. As the Office Action has admitted on page 6, first paragraph, Yin does not use the same strain of bacterium as that of the claimed invention. Third, Yin does not disclose the production of the claimed end product by the claimed process. The amended claims are directed to the production of vitamin C in a process involving the use of a microorganism belonging to the genus Ketogulonicigenium. In contrast, Yin is directed to a process for the production of 2-KGA, an end product which is different from Applicants' claimed vitamin C, from a substrate such as L-sorbose or D-sorbitol (a different substrate than the claimed substrate). Yin only mention the production of vitamin C by the Reichstein process (Yin, col. 1, lines 9-12) via esterification, enolization, and lactonization (Yin, col. 3, lines 63-65) which is not the subject of the pending claims. The claims as presented are novel and not anticipated by Yin, inter alia, because Yin uses a different starting material and uses a different mixture of organisms to produce a different end product. Since Yin does not disclose all the limitations of the pending claims, it cannot anticipate the pending claims.

Sugisawa is not a valid prior art for anticipation. The instant application is the U.S. national phase of international application PCT/EP2005/000622 filed January 22, 2005 which designated the U.S. and further claims the benefit of EP 04002074.5 dated January 30, 2004. Sugisawa was published on March 23, 2005 which is <u>after</u> the instant applications' priority dates of January 22, 2005 and January 30, 2004. (See attached printout from Biosci. Biotechnol. Biochem.) For this reason, the claimed invention is not anticipated by Sugisawa.

Furthermore, Yin's reaction conditions do not inherently produce vitamin C as the Examiner has suggested. First, Yin's reaction conditions are not exactly the same as that of Sugisawa and there is no reason to expect that the same processes would occur absent identical reaction conditions. Second, Yin is directed to a reaction condition significantly different from Sugisawa. Yin's condition involves a specific mixture of two organisms Gluconobacter oxydans and Bacillus megaterium. The two organism are essential to Yin's disclosure. Applicants note that Yin neither disclose or claim

processes involving only one organism. The fact that these two organisms are needed indicates that they have an effect on the behavior of each other and on the resulting product. In fact, Yin states in column 2, lines 54 to 59, that:

"The quantitative ratio of Bacillus colonies to Gluconobacter colonies at the beginning of the fermentation process is not critical. This ratio may e.g. be in the range between 1:10 and 1:300 (Bacillus: Gluconobacter). This ratio adjusts itself automatically, in the course of the fermentation process, to an optimal value.

Since the bacteria population self adjusts and clearly have an effect on each other, there is no basis to assume that the two organism culture of Yin is identical to or would provide the same chemical reaction as that of Sugisawa or Applicants' claimed invention. Third, Yin's stated in its specification that its ultimate goal is to produce vitamin C and Yin's claimed process produces 2-KGA (2-keto-L-gulonic acid), an intermediate (Yin, col. 1, lines 9-13). Yin further recommends the Reichstein method for conversion of 2-KGA into vitamin C. The Reichstein method has a number of disadvantages for commercial applications such as the use of large quantities of toxic reagents/solvents and the involvement of a number of complex reaction steps. If Yin's process inherently produced vitamin C, there would be no need for Yin to recommend the Reichstein process with its various disadvantages and there would be a great incentive for Yin to claim the production of vitamin C instead of claiming the production of an intermediate. For these reasons, there is simply no bases to assume that Yin's process inherently produced vitamin C.

For the reasons stated above, the cited document does not anticipate the claimed invention because it does not disclose all limitations of independent claim 1. Moreover, claims 5-10 depend from independent claim 1 and are also not anticipated by the document because the limitations of claim 1 are incorporated in claims depending therefrom. See *In re McCarn*, 101 USPQ 411, 413 (C.C.P.A. 1954). The rejection is moot with respect to claims 2-4 because these claims are canceled.

Withdrawal of the Section 102 rejection is requested because the cited document fails to disclose all limitations of the claimed invention.

Remarks regarding 35 U.S.C. § 103:

A claimed invention is unpatentable if the differences between it and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art. In re Kahn, 78 USPQ2d 1329, 1334 (Fed. Cir. 2006) citing Graham v. John Deere, 148 USPQ 459 (1966). The Graham analysis needs to be made explicitly. KSR v. Teleflex, 82 USPQ2d 1385, 1396 (2007). It requires findings of fact and a rational basis for combining the prior art disclosures to produce the claimed invention. See id. ("Often, it will be necessary for a court to look to interrelated teachings of multiple patents . . . and the background knowledge possessed by a person having ordinary skill in the art, all in order to determine whether there was an apparent reason to combine the known elements in the fashion claimed by the patent at issue"). The use of hindsight reasoning is impermissible. See id. at 1397 ("A factfinder should be aware, of course, of the distortion caused by hindsight bias and must be cautious of arguments reliant upon ex post reasoning"). Thus, a prima facie case of obviousness requires "some rationale, articulation, or reasoned basis to explain why the conclusion of obviousness is correct." Kahn at 1335; see KSR at 1396. A claim directed to a combination of prior art elements "is not proved obvious merely by demonstrating that each of its elements was, independently, known in the prior art." ld.

Claims 1-3 and 5-8 stand rejected under 35 U.S.C. § 103 as allegedly obvious in view of U.S. Patent 4,935,359 (referred to herein as "Yin"), U.S. Patent 6,316,231 (referred to herein as "Stoddard"), Sugisawa et al. (Biosci. Biotechnol. Biochem., 2005 69:659-662, referred to herein as "Sugisawa"), Urbance et al. (Int. J. of Systematic and Evolutionary Microbioloby, 2001, 51:1059-1070, referred to herein as "Urbance") and a printout from NCBI Taximony browser for Ketogulonicigenium vulgare (referred to herein as "NCBI"). Applicants traverse.

As discussed above, the disclosure of Yin, even in combination with Sugisawa, fails to disclose the claimed invention. The addition of Stoddard, Urbance, and NCBI does not cure this defect. As correctly stated by the Examiner, Yin mentions that 2-KGA (2-keto-L-gulonic acid) may be converted to vitamin C (L-ascorbic acid). However, Yin

does not render the instant claims obvious because Yin only discloses the conversion of 2-KGA into vitamin C by three additional chemical steps - "esterification, followed by enolization and lactonization." See, Yin, col. 3, lines 63-65. These steps of conversion taught by Yin at least involves the addition of base or acid to the reaction mixture. Yin's method does not inherently produce vitamin C and, in fact, teaches away from Applicants' claimed method because (1) Yin never discloses the presence of vitamin C in any of his processes – except after esterification, enolization and lactonization and (2) by teaching that a chemical process of esterification, enolization and lactonization is needed for conversion of 2-KGA into vitamin C, Yin shows that his method is incapable of producing vitamin C via a biological method. Actually, Yin does not teach the conversion of L-sorbosone into vitamin C via the intermediate 2-KGA at all.

The failure of Yin and Sugisawa to disclose the claimed invention is not remedied by the attempt to combine their disclosure with Stoddard, Urbance, and NCBI. Stoddard teaches the use of Ketogulonicigenium strains for the production of 2-KGA wherein the substrate is selected from, for example, L-sorbose or D-sorbitol. There is no suggestion on the use of a microorganism together with L-sorbosone in order to obtain vitamin C as a direct conversion product.

Urbance and NCBI were cited by the Examiner to show reclassification of G. oxydans DSM 4052. The reclassification does not alter the substance of Applicants' comments above.

Claims 1-10 stand rejected under 35 U.S.C. § 103 as allegedly obvious in view of Yin, Stoddard, Sugisawa, Urbance, NCBI and Asakura et al. (Biosci. Biotechnol. Biochem. 1999 63:46-53. Applicants traverse.

As discussed above, the combination of Yin, Stoddard, Sugisawa, Urbance, and NCBI does not render obvious Applicants' claimed invention. Further, Applicants are in agreement with the Examiner who stated that a combination of Yin, Stoddard, Sugisawa, Urbance, and NCBI does not teach the production of vitamin C from L-sorbosone (Office Action, page 9, lines 1-2). In this rejection, the Examiner has added Asakura because Asakura allegedly provides the missing teaching (i.e., the production of vitamin C from L-sorbosone.) Applicants disagree.

Asakura is directed to the isolation and characterization of an enzyme which is able to catalyze the conversion of, for example, L-sorbose with or without L-sorbosone into 2-KGA. The publication does not make any reference to the production of vitamin C from L-sorbosone. In contrast, as shown in Figure 6 and discussed on page 52, right column, the enzyme has a strong 2-KGA producing capability. Asakura does not teach and does not render obvious the claimed invention which is directed to a process involving L-sorbosone and a microorganism of Ketogulonicigenium for the production of vitamin C as claimed.

Therefore, the combination of Yin, Stoddard, Sugisawa, Urbance, NCBI and Asakura does not render obvious the claimed invention as represented by claim 1. Moreover, claims depending from independent claim 1 are also not rendered obvious by the cited documents because all limitations of the independent claims are incorporated in their dependent claims. M.P.E.P. § 2143.03 citing *In re Fine*, 5 USPQ2d 1596 (Fed. Cir. 1988).

Withdrawal of the Section 103 rejections is requested because the claims would not have been obvious to one of ordinarily skill in the art when this invention was made.

Conclusion

Having fully responded to the pending Office Action, Applicants submit that the claims are in condition for allowance and earnestly solicit an early Notice to that effect.

The Examiner is invited to contact the undersigned if any further information is required.

Respectfully submitted,

NIXON & VANDERHYE P.C.

Bv:

Eric Sinn

Reg. No. 40,177

901 North Glebe Road, 11th Floor Arlington, VA 22203-1808

Telephone: (703) 816-4000 Facsimile: (703) 816-4100

JETAGE







Bioscience, Biotechnology, and Biochemistry

Available Issues | Japanese

>> Publisher Site

Author:

Keyword:

Search

ADVANCED







431-439

TOP > Available Issues > Table of Contents

ONLINE ISSN: 1347-6947 PRINT ISSN: 0916-8451

Bioscience, Biotechnology, and Biochemistry

Vol. 69 (2005), No. 3

▼ Review

AdpA, a Central Transcriptional Regulator in the A-Factor Regulatory Cascade That Leads to Morphological Development and Secondary Metabolism in *Streptomyces griseus*

Yasuo OHNISHI, Haruka YAMAZAKI, Jun-ya KATO, Ayami TOMONO and Sueharu HORINOUCHI

Release Date: 2005/03/23 [Abstract] [PDF (330K)]

▼ Organic Chemistry Note

Biosynthesis of the Marine Antibiotic Pentabromopseudilin.
2. The Pyrrole Ring

Jörg D. PESCHKE, Ulf HANEFELD and Hartmut LAATSCH

Release Date: 2005/03/23 [Abstract] [PDF (74K)]

▼ Biochemistry & Molecular Biology Regular Papers

The N-Terminal Regions of β and γ Subunits Lower the Solubility of Adenosylcobalamin-Dependent Diol Dehydratase

455-462

628-630

Takamasa TOBIMATSU, Masahiro KAWATA and Tetsuo TORAYA	
Release Date: 2005/03/23 [Abstract] [PDF (252K)]	
Purification and Characterization of Inducible Cephalexin Synthesizing Enzyme in <i>Gluconobacter oxydans</i>	463-469
Chia-Yang SHIAU, Shun-Chung PAI, Wen-Po LIN, Dar-Der JI and Yu-Tien LIU	
Release Date: 2005/03/23 [Abstract] [PDF (155K)]	
Cloning and Heterologous Expression of the Antibiotic Peptide (ABP) Genes from Rhizopus oligosporus NBRC 8631	477-482
Osamu YAMADA, Kazutoshi SAKAMOTO, Mihoko TOMINAGA, Tasuku NAKAYAMA, Takuya KOSEKI, Akiko FUJITA and Osamu AKITA	
Release Date: 2005/03/23 [Abstract] [PDF (200K)]	
A Series of Crystal Structures of a meta-Cleavage Product Hydrolase from Pseudomonas fluorescens IP01 (CumD) Complexed with Various Cleavage Products	491-498
Shinya FUSHINOBU, So-Young JUN, Masafumi HIDAKA, Hideaki NOJIRI, Hisakazu YAMANE, Hirofumi SHOUN, Toshio OMORI and Takayoshi WAKAGI	
Release Date: 2005/03/23 [Abstract] [PDF (288K)]	
Superoxide Dismutase from the Silkworm, <i>Bombyx mori</i> : Sequence, Distribution, and Overexpression	507-514
Kohji YAMAMOTO, Pingbo ZHANG, Yutaka BANNO, Hiroshi FUJII, Fumio MIAKE, Nobuhiro KASHIGE and Yoichi ASO	
Release Date: 2005/03/23 [Abstract] [PDF (182K)]	
Purification and Characterization of a Novel α-Glucuronidase from Aspergillus niger Specific for O-α-D-Glucosyluronic Acid α-D-Glucosiduronic Acid	522-529
Takaaki KIRYU, Hirofumi NAKANO, Taro KISO and Hiromi MURAKAMI	
Release Date: 2005/03/23 [Abstract] [PDF (150K)]	
Purification and Characterization of Hydantoin Racemase from Microbacterium liquefaciens AJ 3912	530-536

Shun'ichi SUZUKI, Norimasa ONISHI and Kenzo YOKOZEKI Release Date: 2005/03/23 [Abstract] [PDF (158K)]	
Highly Active Mutants of Carbonyl Reductase S1 with Inverted Coenzyme Specificity and Production of Optically Active Alcohols	544-552
Souichi MORIKAWA, Takahisa NAKAI, Yoshihiko YASOHARA, Hirokazu NANBA, Noriyuki KIZAKI and Junzo HASEGAWA	
Release Date: 2005/03/23 [Abstract] [PDF (242K)]	
Structure of β-Glucan Oligomer from Laminarin and Its Effect on Human Monocytes to Inhibit the Proliferation of U937 Cells	553-558
Zhongcun PANG, Kodo OTAKA, Takashi MAOKA, Kumi HIDAKA, Sumio ISHIJIMA, Masayuki ODA and Masatake OHNISHI	
Release Date: 2005/03/23 [Abstract] [PDF (115K)]	
Identification of <i>rpoBC</i> Genes Encoding for β and β' Subunits of RNA Polymerase in a Deep-Sea Piezophilic Bacterium, <i>Shewanella violacea</i> Strain DSS12	575-582
Hiroaki KAWANO, Kaoru NAKASONE, Fumiyoshi ABE, Chiaki KATO, Yasuhiko YOSHIDA, Ron USAMI and Koki HORIKOSHI	
Release Date: 2005/03/23 [Abstract] [PDF (216K)]	
Functional Analysis of Two Solanesyl Diphosphate Synthases from Arabidopsis thaliana	592-601
Kazutake HIROOKA, Yoshikazu IZUMI, Chung-II AN, Yoshihisa NAKAZAWA, Ei-ichiro FUKUSAKI and Akio KOBAYASHI	
Release Date: 2005/03/23 [Abstract] [PDF (218K)]	
Preparation of Functional Single-Chain Antibodies against Bioactive Gibberellins by Utilizing Randomly Mutagenized Phage-Display Libraries	610-619
Yoshihito SUZUKI, Shinsaku ITO, Kaori OTSUKA, Eriko IWASAWA, Masatoshi NAKAJIMA and Isomaro YAMAGUCHI	
Release Date: 2005/03/23 [Abstract] [PDF (187K)]	

Effects of Serum Deprivation on Expression of Proteolytic- Related Genes in Chick Myotube Cultures	623-627
Kazuki NAKASHIMA, Makoto YAMAZAKI and Hiroyuki ABE	
Release Date: 2005/03/23 [Abstract] [PDF (76K)]	
Effect of Molecular Mass on Antitumor Activity of Heteropolysaccharide from <i>Poria cocos</i>	631-634
Lina ZHANG, Li CHEN, Xiaojuan XU, Fanbo ZENG and Peter Chi Keung CHEUNG	
Release Date: 2005/03/23 [Abstract] [PDF (87K)]	
Amino Acid Sequence and Antimicrobial Activity of Chitin-Binding Peptides, <i>Pp</i> -AMP 1 and <i>Pp</i> -AMP 2, from Japanese Bamboo Shoots (<i>Phyllostachys pubescens</i>)	642-645
Masatoshi FUJIMURA, Mineo IDEGUCHI, Yuji MINAMI, Keiichi WATANABE and Kenjiro TADERA	
Release Date: 2005/03/23 [Abstract] [PDF (86K)]	
Microtubule-Cyclodextrin Conjugate: Functionalization of Motile Filament with Molecular Inclusion Ability	646-648
Kazuaki KATO, Rie GOTO, Kaoru KATOH and Motonari SHIBAKAMI	
Release Date: 2005/03/23 [Abstract] [PDF (307K)]	
Biochemistry & Molecular Biology Communication	
Cloning and Sequence Analysis of the Micronuclear and Macronuclear Gene Encoding Rab Protein of Euplotes octocarinatus	649-652
Wei WANG, Hui ZHI, Baofeng CHAI and Aihua LIANG	
Release Date: 2005/03/23 [Abstract] [PDF (148K)]	
Food & Nutrition Science Regular Papers	
Synthesis of Lipophilic Poly-Lauroyl-(+)-Catechins and Radical-Scavenging Activity	440-447
Guangzhi ЛN and Hisashi YOSHIOKA	

Potential Ability of Hot Water Adzuki (Vigna angularis) Extracts to Inhibit the Adhesion, Invasion, and Metastasis of Murine B16 Melanoma Cells	448-454
Tomohiro ITOH, Hayato UMEKAWA and Yukio FURUICHI	
Release Date: 2005/03/23 [Abstract] [PDF (183K)]	
Lipid Peroxidation of a Human Hepatoma Cell Line (HepG2) after Incorporation of Linoleic Acid, Arachidonic Acid, and Docosahexaenoic Acid	483-490
Mina ARASEKI, Hidetaka KOBAYASHI, Masashi HOSOKAWA and Kazuo MIYASHITA	
Release Date: 2005/03/23 [Abstract] [PDF (119K)]	
Effect of Bread Containing Resistant Starch on Postprandial Blood Glucose Levels in Humans	559-566
Yuji YAMADA, Seio HOSOYA, Shigeru NISHIMURA, Takashi TANAKA, Yoshitaka KAJIMOTO, Akira NISHIMURA and Osami KAJIMOTO	
Release Date: 2005/03/23 [Abstract] [PDF (116K)]	
Strain and Age-Related Changes in the Localization of Intestinal CD161 ⁺ Natural Killer Cells and CD8 ⁺ Intraepithelial Lymphocytes along the Longitudinal Crypt Axis in Inbred Rats	567-574
Hong XU, Syunsuke IMANISHI, Kazuhiko YAMADA, Hiroshi HARA and Satoshi ISHIZUKA	
Release Date: 2005/03/23 [Abstract] [PDF (389K)]	
Transepithelial Transport of Rosmarinic Acid in Intestinal Caco-2 Cell Monolayers	583-591
Yutaka KONISHI and Shoko KOBAYASHI	
Release Date: 2005/03/23 [Abstract] [PDF (269K)]	
od & Nutrition Science Note	
Protective Effect of Epigallocatechin Gallate and Esculetin on Oxidative DNA Damage Induced by Psoralen Plus Ultraviolet-A Therapy	620-622
Shoichi TAHARA, Naomichi BABA, Mitsuyoshi MATSUO	

and Takao KANEKO

ood & Nutrition Science Communication	
Anti-Invasive Activity of Niacin and Trigonelline against Cancer Cells	653-
Nobuhiro HIRAKAWA, Rieko OKAUCHI, Yutaka MIURA and Kazumi YAGASAKI	
Release Date: 2005/03/23 [Abstract] [PDF (170K)]	
licrobiology & Fermentation Technology Regular Papers	
Effect of Culture Conditions on Production of 5- Aminolevulinic Acid by Recombinant Escherichia coli	470-
Dae-Hee LEE, Woo-Jin JUN, Dong-Hoon SHIN, Hong-Yon CHO and Bum-Shik HONG	
Release Date: 2005/03/23 [Abstract] [PDF (146K)]	
The Effect of Protozoa on the Composition of Rumen Bacteria in Cattle Using 16S rRNA Gene Clone Libraries	499-
Yuhei OZUTSUMI, Kiyoshi TAJIMA, Akio TAKENAKA and Hisao ITABASHI	
Release Date: 2005/03/23 [Abstract] [PDF (152K)]	
FR207944, an Antifungal Antibiotic from <i>Chaetomium</i> sp. No. 217 I. Taxonomy, Fermentation, and Biological Properties	515-
Toperties	
Motoo KOBAYASHI, Ryuichi KANASAKI, Ikuko SATO, Fumie ABE, Kumiko NITTA, Masami EZAKI, Kazutoshi SAKAMOTO, Michizane HASHIMOTO, Akihiko FUJIE, Motohiro HINO and Yasuhiro HORI	

Static Suppression of Tomato Bacterial Wilt by Bacterial Coagulation Using a New Functional Polymer That Coagulates Bacterial Cells and Is Highly Biodegradable

Nariyoshi KAWABATA, Wataru SAKAKURA and Yoshihiro NISHIMURA

Release Date: 2005/03/23 [Abstract] [PDF (121K)]

537-543

Cloning and Expression of a <i>Bacillus circulans</i> KA-304 Gene Encoding Chitinase I, Which Participates in Protoplast Formation of <i>Schizophyllum commune</i>	602-609
Shigekazu YANO, Nopakarn RATTANAKIT, Mamoru WAKAYAMA and Takashi TACHIKI	
Release Date: 2005/03/23 [Abstract] [PDF (483K)]	
crobiology & Fermentation Technology Notes	
Production of Heterogeneous Dimer Lignostilbenedioxygenase II from <i>lsdA</i> and <i>lsdB</i> in Escherichia coli Cells	635-637
Shigehiro KAMODA, Tamami TERADA and Yoshimasa SABURI	
Release Date: 2005/03/23 [Abstract] [PDF (77K)]	
Molecular Monitoring of the Developmental Bacterial Community in the Gastrointestinal Tract of Japanese Infants	638-641
Prapa SONGJINDA, Jiro NAKAYAMA, Yumiko KUROKI, Shigemitsu TANAKA, Sanae FUKUDA, Chikako KIYOHARA, Tetsuro YAMAMOTO, Kunio IZUCHI, Taro SHIRAKAWA and Kenji SONOMOTO	
Release Date: 2005/03/23 [Abstract] [PDF (125K)]	
crobiology & Fermentation Technology Communication	
Microbial Production of L-Ascorbic Acid from D-Sorbitol, L-Sorbose, L-Gulose, and L-Sorbosone by Ketogulonicigenium vulgare DSM 4025	659-662
Teruhide SUGISAWA, Taro MIYAZAKI and Tatsuo HOSHINO	

Japan Science and Technology Information Aggregator, Electronic

